





Exceptional Performance For Commercial Environments.

Level Seven is the right choice when reputations are on the line in a commercial setting. This line promises a distinguished style that can handle the high foot traffic every business hopes for.



Messes stay on the surface and do not penetrate or go under the floor.



Scratch Guard

Highly abrasion-resistant coating provide shine and increases the lifespan of your floor.




Advance Bond Backing

Reduce more than 80% of most common installation faults by pairing Level Seven products with Urban Surfaces glue systems.

1 2 Curated Designer Colors

A focused selection of premium colors and textures to ensure the perfect floor for your designer vision.



Installation Patterns

GlueDown vinyl flooring can be installed in a variety of different patterns like Subway or Herringbone. Each layout creates a unique look and feel, creating a distinct space.



Build Responsibly

All products have been independently certified by SCS to comply with the volatile organic compound emissions criteria of the California Sections 01350 standard. Any product that has met these stringent standards is a product that will contribute to good IAQ.

LEVEL SEVEN

Commercial Grade LVP





ENHANCED POLYURETHANE SYSTEM

Highly Stain Resistant

20MIL SCRATCHGUARD WEAR LAYER

Extra Wear Protection

NATURAL WOOD TEXTURE

Ultra Realistic Look Wide Color Selection

3MM PURE VINYL

Chip and Dent Resistant 100% Waterproof



100% WATERPROOF



DURABLE



EASY TO CLEAN



EASY REPAIR




WARRANTIES

Residential _____ Lifetime
Light Commercial _____ 20 Years
Light Commercial _____ 15 Years


GUARANTEED PHTHALATE FREE

Core	Pure Vinyl
Plank Size	7" x 48"
Thickness	3mm
Wear Layer	20mil ScratchGuard
Edge Profile	Beveled
Installation	GlueDown
LEED Scorecard	EQ 4.3 - 1 Point

























































CREATE INSPIRING SPACES.


Add personality and style by combining different colors or mix installation pattern types.




GlueDown flooring can be installed in many different variations and combinations. When designing your project, add personality and style by combining different colors or mix installation pattern types. Your floor is what you make it with Urban Surfaces' Luxury Vinyl Plank.




Random Pattern




Single Herringbone



45° Random



Square Herringbone



Subway Pattern



Double Herringbone



GREAT FLOORS NEED GREAT ADHESIVE.

Antimicrobial technology, Plasticizer migration resistance, Color ready technology in every bucket.



Urban-3020

Coverage: 150-350 Sqft/gal Available in 1 & 4 Gal Shelf life 2 years

Hard-Set, Transitional Pressure Sensitive Adhesive.

- Aggressive tack, fast grab
- High moisture tolerance
- · Permanent, waterproof bond
- Ideal for heavy rolling loads
- Immediate access for light traffic
- Installs multiple floor types
- · Low VOC, Extremely low odor













Flash time 30-60 MIN Working time 3 HRS

12 HRS

Heavy Traffic Rolling Loads

24 HRS

48 HRS

RH 99%

PH 5-12

MVFR 12lbs

Firm-Set, Modified Transitional Pressure Sensitive Adhesive.

- · Aggressive tack, fast grab
- · High moisture tolerance
- · High-strength, water resistant bond
- Flastomeric bond

- Immediate access for light traffic
- Installs multiple floor types
- · Low VOC, Extremely low odor











Heavy Traffic Rolling Loads

48 HRS



Urban-3010 Coverage: 90-350 Sqft/gal Available in 1 & 4 Gal Shelf life 2 years



Working time **12 HRS**

Cure time

12 HRS

24 HRS

CREATE INSPIRING SPACES.

Why hard surface flooring?

Hard surface floors are easy to clean and maintain because they provide a one-dimensional surface that doesn't absorb odors, spills, dust, or soil. They also don't retain moisture, which can lead to microorganisms such as dust mites and mold.

What are you breathing?

Research by the RFCI shows that on average a person will spend 90% of their life indoors. Whether it be in your working environment, your home, or sitting in a movie theater, you will spend a majority of your time inside. When this is realized, you may want to know how healthy the air quality is, and rightly so. A recent study done by the Environmental Protection Agency (EPA) found that indoor air was deemed two to five times more harmful than outdoor air. This is due to many harmful pollutants including radon, mold, and carbon dioxide found indoors. Healthy air contributes to better learning in schools, improved productivity in offices, and more comfortable homes. Poor indoor air quality (IAQ) can be a factor in a variety of health problems, such as headaches, dizziness, and more serious long-term effects.









BUILD RESPONSIBLY.

Why FloorScore?

When it comes to indoor air quality, a primary concern is the emission level of specific volatile organic compounds (VOCs). FloorScore® IAQ Certification means that a flooring product is independently certified by SCS Global Services to comply with the volatile organic compound emissions criteria of the California Section 01350 Program. Hundreds of resilient flooring materials and their adhesives bear the FloorScore® seal. This seal tells you that the products have been independently certified by SCS to comply with the volatile organic compound emissions criteria of the California Section 01350 standard. Any product that has met these stringent standards is a product that will contribute to good IAQ.

FloorScore Requirements?

To earn the FloorScore® seal, a flooring product must satisfy the requirements of the SCS-EC-10.2-2007 Environmental Certification Program – Indoor Air Quality Performance.

Which Includes:

- Testing demonstrating compliance with emission concentrations for listed VOCs under California Section 01350
- Manufacturing facility on-site audits and yearly surveillance audits
- · Annual product re-testing
- · Product record keeping
- A documented quality control plan









EXCEPTIONAL PERFORMANCE FOR COMMERCIAL ENVIRONMENTS

US2204

U R B A N S U R F A C E S 800.492.8722 Sales@urbansurfaces.com Designed and Developed in California

