

URBAN
SURFACES



EVERLAST

3020 | HARD-SET ADHESIVE



EVERLAST

3020 | HARD SET ADHESIVE



Available In: 4 Gallons, 1 Gallon

ULTRA-STRONG, LONG-LASTING BOND

The aggressive tack and fast grab of Everlast™ will hold flooring tightly. With superior plasticizer migration resistance and elastomeric properties, Everlast™ stays true to its name.



EVERLAST™
DETAILS

ULTRA-STRONG BOND FOR LONG LASTING **COMMERCIAL FLOORING**

- ✓ Aggressive Tack, Fast Grab
- ✓ Low VOC, Extremely Low Odor
- ✓ Contributes to LEED Certification
- ✓ Immediate Access for Light Traffic
- ✓ Plasticizer Migration Resistance
- ✓ Elastomeric Bond



COLORCHANGE™ TECHNOLOGY



WATERPROOF AND ANTIMICROBIAL



COMMERCIAL-GRADE BOND

30-60 mins
Flash Time

12 hrs
Cure Time

24 hrs
Heavy Traffic

48 hrs
Rolling Loads

REQUIRED TOOLS



U-Notch Trowel

For Non-Porous Substrates
Coverage: ~ 220-260 sqft/gal



Square-Notch Trowel

For Porous Substrates
Coverage: ~ 150-180 sqft/gal



75 lb Floor Roller

For Rolling and Cross-Rolling
a Complete Installation

ALWAYS PRIME WITH TRILOGY™ TO UNLOCK THE FULL POTENTIAL OF EVERLAST™

Everlast™ and Trilogy™ are the perfect pair. Trilogy™ Multipurpose Primer sets the stage for Everlast™ to grip even tighter to a subfloor. Trilogy™ also provides encapsulation or up to 95% moisture protection (not simultaneously).



EVERLASTING BOND FOR THE LIFE OF THE FLOOR

MAXIMUM OCCUPANCY, MAXIMUM COMFORT

With low VOC emission and extremely low odor, Everlast™ allows occupants to move in quickly. With immediate post-install access for light traffic, spaces will stay occupied with minimal interruption.

SPECIALLY FORMULATED FOR COMMERCIAL USE

Heavy foot traffic and rolling loads are no match for Urban Surfaces' Everlast™ and our durable LVT flooring.



EXPLORE ALL OF THE URBAN ESSENTIALS™

Start to finish, the Urban Essentials™ line contains everything needed for the perfect flooring installation.

(800) 492-8722 | Info@UrbanSurfaces.com | 2380 Railroad Street, Bldg 101, Corona, CA 92878