



ADVANTAGE

3505 | SUBFLOOR PRIMER



ADVANTAGE

3505 | SUBFLOOR PRIMER



Available In: 4 Gallons

PURELY FORMULATED

The pure priming-focused formulation of Advantage™ means it is powerful and quick to dry. As a bonus, Advantage™ also provides pH-blocking and protection from alkali attack.



ADVANTAGE™
DETAILS

PURELY FORMULATED FOR POWERFUL PRIMING

- ✓ Fast-Drying Formulation
- ✓ Antimicrobial
- ✓ No pH Testing Required
- ✓ Protects Floor From Alkali Attack
- ✓ Free of Solvent
- ✓ Free of Isocyanate

**NO VOC, EXTREMELY
LOW ODOR**

**FAST ROLLER
APPLICATION**

**PRIMES FOR AN
EFFECTIVE ADHESIVE
BOND**

30-60 mins
Cure Time

5 lbs
MVER

75%
RH Tolerance

5-14
pH (No Testing)

REQUIRED TOOL



3/8" Short Nap Paint Roller
For Use Under All Urban
Surfaces' Loose Lay,
Glue Down, and Floating
Flooring Types

Coverage:
~ 450 sqft/gal (1 Coat)
~ 300 sqft/gal (2 Coats)

ADVANTAGE™ UNLOCKS OUR ADHESIVES' FULL POTENTIAL

Priming is always the right choice. Advantage™ provides enhanced grip performance for our adhesives, Everlast™ and Prism™, ensuring a tightly held subfloor.



NEVER SKIP THE PRIMER

BUILT FOR SPEED

Finish your project on time. Advantage™ doesn't need to be stirred or mixed and can be quickly and comfortably applied using a roller.

MAXIMUM OCCUPANCY, MAXIMUM COMFORT

With no VOC emission and extremely low odor, Advantage™ allows occupants to move in quickly so spaces will stay occupied with minimal interruption.



EXPLORE ALL OF THE URBAN ESSENTIALS™

Start to finish, the Urban Essentials™ line contains everything needed for the perfect flooring installation.

(800) 492-8722 | Info@UrbanSurfaces.com | 2380 Railroad Street, Bldg 101, Corona, CA 92878